

ClearView™

The visible choice for bathroom mirrors.



mirrorworld



beyond reflection

www.mirrorworld.co.uk Tel: 0161 794 7100 email: sales@lecira.co.uk
Unit 6 Swinton hall Rdd Ind Est Pendle Bury Road Swinton, Manchester. M27 4AJ

ClearView De-Misting Pads Fact Sheet

Working Principle of ClearView Pads

ClearView De-Misting Pads effectively works by transforming electricity power into heat energy, thereby heating up the mirror surface to a comfort temperature by the special rated power, which helps keep the mirror surface free from condensation

Facts about the ClearView Pads:

1. The thickness of the film is 0.4mm, and therefore guarantees the effective transfer of energy.
2. Energy saving: the ClearView Pads are made with full backing self-adhesive glue, which ensures effective energy conduction.
3. Safe to use: All our pads are manufactured using excellent raw materials which meet International standards. The finished product quality conforms to the corresponding international standards.
4. The back self-adhesive glue is not only good for heat conducting, but also safe to use in moist bathrooms.
5. ClearView De-misting pads are available in different shapes and sizes such as rectangular, oval, round etc to ensure maximum de-misting whatever the shape of your mirror.
6. Easy to install: With self-adhesive backing glue, ClearView De-misting pads are easy to install to mirror and work effectively.
7. Our mirrors Conform to 89/336/EEC Electromagnetic Compatibility Directive, 73/23/EEC Low Voltage Directive and CEI EN60335 - 1, CEI EN 60555, CEI EN55014 Safety Standards EN Norms.

Size and Energy consumption of defogger

ClearView Rectangular De-Misting Pad			
Size		Power rating (watts)	Energy consumption (kw.h)
450mm×650mm	(18"×26")	57	0.057
600mm×800mm	(24"×32")	96	0.096
600mm×900mm	(24"×36")	108	0.108
750mm×1000mm	(30"×40")	150	0.15
850mm×1200mm	(34"×48")	204	0.204
1000mm×1300mm	(40"×52")	260	0.26
1200mm×1500mm	(48"×60")	360	0.36

ClearView Oval De-Misting Pad			
Size		Power rating (watts)	Energy consumption (kw.h)
600mm×800mm	(24"×32")	76	0.045
750mm×1000mm	(30"×40")	123	0.123
1000mm×1200mm	(40"×48")	201	0.201

ClearView Round De-Misting Pad			
Size		Power rating (watts)	Energy consumption (kw.h)
380mm×380mm	(15"×15")	20	0.02
520mm×520mm	(20"×20")	41	0.041
640mm×640mm	(25"×25")	65	0.065
780mm×780mm	(31"×31")	99	0.099
880mm×880mm	(35"×35")	127	0.127
1000mm×1000mm	(40"×40")	166	0.166
1100mm×1100mm	(44"×44")	202	0.202